



for healing the body naturally!


Viral patch_™ is a product that was developed as a complementary therapy program that is accepted by Doctors and Practitioners as an aid to support and restore the body's energetic function.

Made in the U.S.A.

Viral Symptoms:

Nothing can ruin a vacation like a bout of vomiting, diarrhea, and stomach cramps. Noroviruses have become notorious for sending hundreds of cruise ship passengers at a time running for their respective bathrooms and for steering entire ships back to port early. Back on dry land, noroviruses also have a big impact on people's health. The CDC estimates that noroviruses are responsible for more than half of all food-borne disease outbreaks each year. And noroviruses are the most common cause of diarrhea. The VIR patch is a perfect prevention for viral infection.

Viruses are capsules with genetic material inside. They are very tiny, much smaller than bacteria. Viruses cause familiar infectious diseases such as the common cold, flu and warts. They also cause severe illnesses such as HIV/AIDS, smallpox and hemorrhagic fevers. Viruses are like hijackers. They invade living, normal cells and use those cells to multiply and produce other viruses like themselves. This eventually kills the cells, which can make you sick. Viral infections are hard to treat because viruses live inside your body's cells. They are "protected" from medicines, which usually move through your bloodstream. Antibiotics do not work for viral infections. There are a few antiviral medicines available. Wear the Viral patch for prevention in your environment at home or office.



Proper Placement

Place the viral patch on the left shoulder of the body. Your body accepts energy far better than the right side. Please follow directions that are stated below for best results.

VIRTM

Instructions: The viral patch is to be applied to your body, (left shoulder). It was developed to reduce viral infections.

Made to last for 3 days, then discard. Apply another patch and wear it for additional 3 days to reduce viral infection.

Repeat this procedure for 30 days to reduce viral infection. *If needed, continue with procedure for an additional 60 days.*

Bacterial and Viral Infections:

Bacterial and viral infections have many things in common. Both types of infections are caused by microbes -- bacteria and viruses, respectively -- and spread by things such as:

- Coughing and sneezing.
- Contact with infected people, especially through kissing and sex.
- Contact with contaminated surfaces, food, and water.
- Contact with infected creatures, including pets, livestock, and insects such as fleas and ticks.

Most importantly, bacterial and viral infections, can cause mild, moderate, and severe diseases. Although bacteria and viruses are both too small to be seen without a microscope, they're as different as giraffes and goldfish.